


SPECIFICATIONS

Certification		Tier 3
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		I-EGR
Stand-by Power @ 1500 rpm	kWm	256
Prime Power @ 1500 rpm	kWm	232
Stand-by Power @ 1800 rpm	kWm	280
Prime Power @ 1800 rpm	kWm	254
Code		CURSOR87TE3

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2050 x 1055 x 1380
Dry Weight	Kg	1050

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

CURSOR 9

CURSOR 9

256 kWm @ 1500 rpm

Unregulated


SPECIFICATIONS

Certification		Unregulated
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		I-EGR
Stand-by Power @ 1500 rpm	kWm	256
Prime Power @ 1500 rpm	kWm	232
Stand-by Power @ 1800 rpm	kWm	280
Prime Power @ 1800 rpm	kWm	254
Code		CURSOR87TE3

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2100 x 1050 x 1380
Dry Weight	Kg	1050

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

CURSOR 9

CURSOR 9

257 kWm @ 1500 rpm

Stage V - Tier 4 Final

SPECIFICATIONS

Certification		Stage V - Tier 4 Final
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		HI-eSCR2
Stand-by Power @ 1500 rpm	kWm	257
Prime Power @ 1500 rpm	kWm	233
Stand-by Power @ 1800 rpm	kWm	285
Prime Power @ 1800 rpm	kWm	258
Code		C87TEVP01.00

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2271 x 1093 x 1357
Dry Weight	Kg	903

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

CURSOR 9

CURSOR 9

287 kWm @ 1500 rpm

Stage V - Tier 4 Final

SPECIFICATIONS

Certification		Stage V - Tier 4 Final
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		HI-eSCR2
Stand-by Power @ 1500 rpm	kWm	287
Prime Power @ 1500 rpm	kWm	261
Stand-by Power @ 1800 rpm	kWm	327
Prime Power @ 1800 rpm	kWm	396
Code		C87TEVP04.00

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2271 x 1093 x 1357
Dry Weight	Kg	903

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE




SPECIFICATIONS

Certification		Tier 3
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		I-EGR
Stand-by Power @ 1500 rpm	kWm	292
Prime Power @ 1500 rpm	kWm	262
Stand-by Power @ 1800 rpm	kWm	320
Prime Power @ 1800 rpm	kWm	287
Code		CURSOR87TE1

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2129 x 1079 x 1381
Dry Weight	Kg	1050

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

CURSOR 9

CURSOR 9

292 kWm @ 1500 rpm

Unregulated


SPECIFICATIONS

Certification		Unregulated
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		I-EGR
Stand-by Power @ 1500 rpm	kWm	292
Prime Power @ 1500 rpm	kWm	262
Stand-by Power @ 1800 rpm	kWm	320
Prime Power @ 1800 rpm	kWm	287
Code		CURSOR87TE1

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2129 x 1079 x 1381
Dry Weight	Kg	1050

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

CURSOR 9

CURSOR 9

299 kWm @ 1500 rpm

Unregulated


SPECIFICATIONS

Certification		Unregulated
No. of cylinders		6L
Injection System		ECR
Air Intake		TAA
Displacement	liters	8.7
Exhaust System		-
Stand-by Power @ 1500 rpm	kWm	299
Prime Power @ 1500 rpm	kWm	275
Stand-by Power @ 1800 rpm	kWm	333
Prime Power @ 1800 rpm	kWm	306
Code		CURSOR87TE4

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	2100 x 1050 x 1385
Dry Weight	Kg	1050

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE

