

POWER GENERATION

G-Drive

F36

F36

59 kWm @ 1500 rpm

Stage V - Tier 4 Final

SPECIFICATIONS

Certification		Stage V - Tier 4 Final
No. of cylinders		4L
Injection System		ECR
Air Intake		TAA
Displacement	liters	3.6
Exhaust System		HI-eSCR2
Stand-by Power @ 1500 rpm	kWm	59
Prime Power @ 1500 rpm	kWm	63
Stand-by Power @ 1800 rpm	kWm	66
Prime Power @ 1800 rpm	kWm	60
Code		F36ETVP03.A62

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	1111 x 689 x 1050
Dry Weight	Kg	450

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

F36

F36

83 kWm @ 1500 rpm

Stage V - Tier 4 Final

SPECIFICATIONS

Certification		Stage V - Tier 4 Final
No. of cylinders		4L
Injection System		ECR
Air Intake		TAA
Displacement	liters	3.6
Exhaust System		HI-eSCR2
Stand-by Power @ 1500 rpm	kWm	83
Prime Power @ 1500 rpm	kWm	75
Stand-by Power @ 1800 rpm	kWm	90
Prime Power @ 1800 rpm	kWm	81
Code		F36ETVP03.A85

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	1110 x 735 x 1050
Dry Weight	Kg	450

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE



POWER GENERATION

G-Drive

F36

F36

92 kWm @ 1500 rpm

Stage V - Tier 4 Final

SPECIFICATIONS

Certification		Stage V - Tier 4 Final
No. of cylinders		4L
Injection System		ECR
Air Intake		TAA
Displacement	liters	3.6
Exhaust System		HI-eSCR2
Stand-by Power @ 1500 rpm	kWm	92
Prime Power @ 1500 rpm	kWm	92
Stand-by Power @ 1800 rpm	kWm	100
Prime Power @ 1800 rpm	kWm	100
Code		F36ETVP03.A94

WEIGHT AND DIMENSIONS

Dimensions (L x W x H)	mm	1111 x 689 x 1050
Dry Weight	Kg	450

DIMENSIONS CAN BE CHANGED ACCORDING TO ENGINE OPTIONS



IMAGES SHOWN ARE FOR ILLUSTRATION PURPOSE ONLY

Do you want to know more?



LEGEND

Arrangement

L (in line)
V (90° "V" configuration)

Air Handling

TCA (Turbocharged with aftercooler)
TC (Turbocharged)
NA (Naturally Aspirated)

Injection System

M (Mechanical)
ECR (Electronic Common Rail)
EUI (Electronic Unit Injector)
MPI (Multi Point Injection)

MORE INFORMATION ABOUT CONFIGURATIONS AND ACCESSORIES AVAILABILITY, THROUGH THE WORLDWIDE FPT INDUSTRIAL DISTRIBUTORS NETWORK

NOT ALL MODELS, STANDARD EQUIPMENT AND ACCESSORIES ARE AVAILABLE IN ALL COUNTRIES. SPECIFICATIONS AND OPTIONS MAY CHANGE WITHOUT NOTICE

